

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|-------|--|------------------|------------------|---------|------------------|
| L1 | 4 | ("6,654,752") or ("5,991,829") or ("6,298,380") or ("5,592,611").PN. | US-PGPU B; USPAT | OR | OFF | 2005/08/31 11:01 |
| L2 | 2 | ("6,175,879") or ("6,717,954").PN. | US-PGPU B; USPAT | OR | OFF | 2005/08/31 11:02 |
| L3 | 5 | ("20030217184") or ("20030093629") or ("20020099838") or ("5,764890") or ("4,467,411").PN. | US-PGPU B; USPAT | OR | OFF | 2005/08/31 11:10 |
| L4 | 11109 | (709/203,"206","212","230","250").CCLS. | US-PGPU B; USPAT | OR | OFF | 2005/08/31 11:11 |
| L5 | 415 | (710/56).CCLS. | US-PGPU B; USPAT | OR | OFF | 2005/08/31 11:11 |
| L6 | 5812 | 14 or 15 | USPAT | OR | ON | 2005/08/31 11:20 |
| L7 | 0 | socket adj2 layer same (request\$3 or allocat\$3) with buffer near3 system | USPAT | OR | ON | 2005/08/31 11:13 |
| L8 | 1 | socket adj2 layer same (request\$3 or allocat\$3) with buffer | USPAT | OR | ON | 2005/08/31 11:12 |
| L9 | 4 | socket adj2 layer same (request\$3 or allocat\$3) with buffer near3 system | US-PGPU B | OR | ON | 2005/08/31 11:14 |
| L10 | 7 | socket adj2 layer same (request\$3 or allocat\$3) with buffer | US-PGPU B | OR | ON | 2005/08/31 11:14 |
| L11 | 10212 | buffer with (management or manag\$3) | USPAT | OR | ON | 2005/08/31 11:16 |
| L12 | 520 | 16 and 111 | USPAT | OR | ON | 2005/08/31 11:16 |
| L13 | 75 | 112 and socket | USPAT | OR | ON | 2005/08/31 11:16 |
| L14 | 359 | (without or eliminat\$3) near5 copy\$3 same buffer | USPAT | OR | ON | 2005/08/31 11:36 |
| L15 | 1 | 113 and 114 | USPAT | OR | ON | 2005/08/31 11:15 |

| | | | | | | |
|-----|-------|--|------------------|----|----|------------------|
| L16 | 5582 | buffer with (management or manag\$3) | US-PGPU B | OR | ON | 2005/08/31 11:16 |
| L18 | 5695 | l4 or l5 | US-PGPU B | OR | ON | 2005/08/31 11:16 |
| L20 | 198 | l16 and l18 | US-PGPU B | OR | ON | 2005/08/31 11:17 |
| L21 | 7 | l20 and (without or eliminat\$3) near5 copy\$3 same buffer | US-PGPU B | OR | ON | 2005/08/31 11:19 |
| L22 | 12764 | request\$3 near5 buffer | US-PGPU B; USPAT | OR | ON | 2005/08/31 11:20 |
| L23 | 68 | request\$3 near5 buffer same socket | US-PGPU B; USPAT | OR | ON | 2005/08/31 11:23 |
| L24 | 11507 | l4 or l5 | US-PGPU B; USPAT | OR | ON | 2005/08/31 11:49 |
| L25 | 20 | l23 and l24 | US-PGPU B; USPAT | OR | ON | 2005/08/31 11:20 |
| L27 | 1683 | request\$3 near5 buffer same allocat\$3 | US-PGPU B; USPAT | OR | ON | 2005/08/31 11:23 |
| L28 | 864 | buffer with socket | US-PGPU B; USPAT | OR | ON | 2005/08/31 11:23 |
| L29 | 54 | l27 and l28 | US-PGPU B; USPAT | OR | ON | 2005/08/31 11:31 |
| L30 | 17 | l27 and l28 | USPAT | OR | ON | 2005/08/31 11:24 |
| L31 | 37 | l27 and l28 | US-PGPU B | OR | ON | 2005/08/31 11:33 |
| L32 | 126 | (without or eliminat\$3) with (additional adj buffer) | USPAT | OR | ON | 2005/08/31 11:35 |
| L33 | 167 | (without or eliminat\$3) with (additional adj buffer) | US-PGPU B; USPAT | OR | ON | 2005/08/31 11:35 |
| L34 | 2 | l33 and socket | US-PGPU B; USPAT | OR | ON | 2005/08/31 11:35 |
| L35 | 361 | (without or eliminat\$3) near5 copy\$3 with buffer | US-PGPU B; USPAT | OR | ON | 2005/08/31 11:36 |
| L36 | 45 | l35 and socket | US-PGPU B; USPAT | OR | ON | 2005/08/31 11:39 |
| L37 | 20 | l35 and socket | USPAT | OR | ON | 2005/08/31 11:36 |
| L38 | 25 | l35 and socket | US-PGPU B | OR | ON | 2005/08/31 11:40 |

| | | | | | | |
|-----|-------|---|---------------------|----|----|---------------------|
| L39 | 4291 | shar\$3 with buffer with (storage or space or memory) | US-PGPU B; USPAT | OR | ON | 2005/08/31 11:40 |
| L40 | 10567 | buffer near8 allocat\$3 | US-PGPU B; USPAT | OR | ON | 2005/08/31 11:41 |
| L41 | 498 | buffer near8 allocat\$3 same server | US-PGPU B; USPAT | OR | ON | 2005/08/31 11:41 |
| L42 | 55 | l39 and l41 | US-PGPU B; USPAT | OR | ON | 2005/08/31 11:46 |
| L43 | 5 | (buffer and socket and system near3 (storage or memory or space)).ab. | US-PGPU B; USPAT | OR | ON | 2005/08/31 11:55 |
| L44 | 27531 | (system near3 (storage or memory or space)).ab. | US-PGPU B; USPAT | OR | ON | 2005/08/31 11:49 |
| L45 | 409 | l24 and l44 | US-PGPU B; USPAT | OR | ON | 2005/08/31 11:49 |
| L46 | 72 | l5 and l44 | US-PGPU B; USPAT | OR | ON | 2005/08/31 11:53 |
| L47 | 0 | l46 and socket | US-PGPU B; USPAT | OR | ON | 2005/08/31 11:51 |
| L48 | 8 | l5 and socket | US-PGPU B; USPAT | OR | ON | 2005/08/31 11:53 |
| L49 | 2 | (buffer and socket and reduc\$4 near3 (storage or memory or space)).ab. | US-PGPU B; USPAT | OR | ON | 2005/08/31 13:44 |
| L50 | 132 | buffer same pass\$3 with socket | US-PGPU B; USPAT | OR | ON | 2005/08/31 12:50 |
| L51 | 29 | buffer same pass\$3 with socket same tcp | US-PGPU B; USPAT | OR | ON | 2005/08/31 13:10 |
| L52 | 453 | tcp same socket and buffer same socket | US-PGPU B; USPAT | OR | ON | 2005/08/31 13:10 |
| L53 | 109 | tcp same socket and buffer same pass\$3 same socket | US-PGPU B; USPAT | OR | ON | 2005/08/31 13:10 |
| L54 | 33 | tcp same socket and buffer same pass\$3 same socket | USPAT | OR | ON | 2005/08/31 13:18 |
| L55 | 3 | (prior adj art) same tcp same socket and buffer with socket | USPAT | OR | ON | 2005/08/31 13:18 |
| L56 | 24 | (known) same tcp same socket and buffer with socket | USPAT | OR | ON | 2005/08/31 13:18 |

| | | | | | | |
|-----|-----|---|--------------------------------------|----|----|---------------------|
| L58 | 3 | buffer same socket same reduc\$4 near3 (storage or memory or space) | EPO; JPO; DERWEN T; IBM_TDB | OR | ON | 2005/08/31 13:45 |
| L59 | 111 | (without or eliminat\$3) near5 copy\$3 same buffer | EPO; JPO; DERWEN T; IBM_TDB | OR | ON | 2005/08/31 13:45 |
| L60 | 2 | (without or eliminat\$3) near5 copy\$3 same buffer and socket | EPO; JPO; DERWEN T; IBM_TDB | OR | ON | 2005/08/31 13:45 |
| L61 | 107 | socket same server same tcp | EPO; JPO; DERWEN T; IBM_TDB | OR | ON | 2005/08/31 13:45 |
| L62 | 9 | socket same server same tcp and buffer same socket | EPO; JPO; DERWEN T; IBM_TDB | OR | ON | 2005/08/31 13:45 |